



GREENMAX[®] HYDRAULIC BALER




B-H600



B-H600



> UPGRADE:



> APPLICABLE MATERIAL:

Specialized in recycling and compressing the loose materials like plastic film, PET bottles, plastic pallets, waste computer shell, waste paper, cartons, cardboards trims/scraps, foam etc.

> TECHNICAL DATA

Model	B-H600
Pressure	60tons
Main Motor Power	18.5kw
Cooling System	Air Cooler/Water Cooler
Oil Reservoir	380L
Number of Belting	4lines
Feed Opening Size	1200x980mm
Chamber size (LxWxH)	2400x980x780mm
Bale Size(LxWxH)	1000x1000x800mm

Bale Density	450-550kgs/m ³
Throughput	1-2tons/h
Machine Weight	5.2tons
Machine Overall Dimensions	6100x1400x2000mm
Feeding Device	Cyclonr/Iron coneryor

Conveior	B-H600
Feeding Width	1000mm
Speed	18m/min
Power	4kw
Weight	5tons
Overall Dimension	9000x1300x3000mm

> FEATURES

- 1.Heavy duty close-gate design for more tighter bales
- 2.Hydraulic locked gate ensures more convenient operation
- 3.Unique double-cutting design of cutters improves the cutting efficiency and lengthens the lifespan of the cutters
- 4.Particular anti- slide design of the machine makes nicer bales
- 5.Unique trunnion-mounted frame and ball-end joint design for the main cylinder avoid the torque on the rod, which lengthens the lifespan of the seals
- 6.The press heads are specially processed by planomiller, ensures the precise running of the ram

7. Use high quality hydraulic valves from Taiwan, ensures the stable running of the machine

8. The heavy duty machine body makes sure only flat ground is required by the installation

9. "HARDOX" in my body